

# Windrowers

W200 Series and Platforms



JOHN DEERE





# TAILOR-MADE FOR YOUR OPERATION

**Productivity is your top priority.** When tonnage and feed values start to decline the moment the crop is cut, you need a solution that promotes quick dry-down time in a highly productive package.

**Manage your crops quickly and efficiently**—with the W200 Series Windrowers. Choose from four different models with horsepower ranges from 200 to 260. Optional TouchSet™ controls allow you to save time making adjustments to the windrow formation from the display. The preset library provides suggested settings by crop type. With the push of a button, all necessary adjustments engage. You can also program custom settings for season to season use.

**Transport mode in seconds.** When it's time to move from one field to the next, you'll get there faster with transport speeds up to 38 km/h (24 mph) standard on the W235R and W260R models and available on W200M and W235M models.







**4–5** Operator Comfort

**6–7** Platforms

**8–9** Conditioning Systems

**10–11** Precision Ag and Optional  
TouchSet Controls

**12–13** Connected Support

**14–15** Parts, Attachments and Service

**16–17** Engines and Specifications


**18–19** Finance and Support



OPERATOR COMFORT

# THE CAB OF CHOICE

**Cutting edge comfort.** Our redesigned cab options have you covered to meet the needs of your farm. Choose between Halogen or LED lights, air or ActiveSeat™ suspension along with the optional precision ag technologies to make the most out of each day.







## R SPEC CAB OPTIONS

M SPEC CAB	SELECT	PREMIUM	PREMIUM with ActiveSeat™ Suspension
AM/FM radio	AM/FM/WB Radio	AM/FM/WB Radio	AM/FM/WB Radio
JDLink™ system enabled	StarFire™ Ready	StarFire™ Ready	StarFire™ Ready
Gen 4 4200 CommandCenter™	Gen 4 4600 CommandCenter™ display	Gen 4 4600 CommandCenter™ display	Gen 4 4600 CommandCenter™ display
Cloth Seat with mechanical suspension	Cloth Seat with electronic controls and mechanical lumbar support and 16° degree right-hand swivel	Cloth Seat with electronic controls and pneumatic lumbar support, 16° left- hand and 16° degree right-hand swivel	Cloth Air Suspension Seat with electronic controls & pneumatic lumbar support, 16° left-hand and 16° degree right-hand swivel
Halogen lights	Halogen lights	LED lights	LED lights
Manual mirrors	Manual mirrors	Electric, Heated mirrors	Electric, Heated mirrors
Front sunshade	Front sunshade	Front and Rear sunshade	Front and Rear sunshade
Front windshield wiper			



# ROTARY PLATFORMS

**Deliver a quality cut and even windrows every time with the new rotary platforms.**

The R400 and R500 rotary platforms provide consistent windrow formation at every pass. With a module cutterbar for easy serviceability, a variety of conditioner options, variable disc rotation set ups and optional quick change knife system, these rotary platforms will meet the needs of your operation. Conditioner options include urethane, V10, trilobe (R500), free swinging tine impeller (R400) and pre-loaded tine impeller (R500).



MODEL	ENGINE POWER	R400 COMPATIBLE	R500 COMPATIBLE	D600 SERIES COMPATIBLE
W200M	149 kW (200 hp)	X	X	X
W235M	175 kW (235 hp)	X	X	X
W235R	175 kW (235 hp)		X	X
W260R	201 Kw (270 hp)		X	X





# ***D600 DRAPER PLATFORMS***

The D600 draper platforms are engineered for high-performance and reliability. Available in widths from 7.6 m (25 ft.) to 11 m (36 ft.), these platforms are compatible with the W200M, W235M, W235R and W260R windrowers and can be interchanged with a rotary head on all traction units. Constant header speed logic maintains knife, belt, and reel speed to avoid clumps and maintain consistent cut quality. Fully integrated controls to the draper means there's no need for a secondary control box.




# CHOOSE THE SYSTEM THAT'S RIGHT FOR YOU

More traction units, more platforms and more conditioning options. No matter the crop or field conditions, John Deere has a conditioning system designed for your needs. Your dealer can tell you more about which system would be the best fit for you. Impeller conditioners, available only on rotary platforms, work well in crops that are under four feet tall when cut, such as fine-stem grasses. They can be adjusted easily for top conditioning in a variety of crops and field conditions.

Urethane rolls stay straight across the entire width of the machine for even conditioning. Intermittent recessed cleats provide extra crushing pressure. Tri-Lobe™ steel rolls have three intermeshing chevron lobes that crush the length of the stem for improved conditioning and faster dry down, as well as durable and serviceable end shafts. V10 rolls bring the benefits of roll conditioning to extra tough crops, like sudan, sudex and cane, without overpowering other crops like alfalfa or grass. Perfect for high-use and abrasive crops, they're steel and extremely durable.





CONDITIONING SYSTEMS	IMPELLER	URETHANE ROLLS	TRI-LOBE ROLLS	V10 ROLLS
Alfalfa	■	■	■	■
Fine-stem grass	■	■	■	■
Heavy-stem/tall grass		■	■	■
Platforms	R400, R500	R400, R500	R500	R400, R500
■ Suitable   ■ Preferred				



PRECISION AG AND OPTIONAL TOUCHSET CONTROLS

# TECHNOLOGY MADE SIMPLE

It's now easier than ever to have a connected machine. With a complete line of receivers, displays, and information management software, John Deere offers a precise guidance solution to fit any operation.

## Integrated AutoTrac™<sup>1</sup>

The W200 Series Windrowers offer Integrated AutoTrac to deliver increased productivity and enhanced performance at faster cutting speeds.

## TouchSet™ Controls

The optional TouchSet controls allow you to save time making adjustments to the windrow formation from the display. The preset library lets you have consistent windrow settings, header tilt and height as well as cutterbar speed without leaving the cab.

## John Deere Operations Center™

Turn information into action

Keep track of your operation anytime and from anywhere with the John Deere Operations Center and Operations Center mobile app. View data in near-real time and turn machine information into action. And with your permission, you can easily share that data with your trusted advisors.

## JDLink™ Connection

Connect with JDLink for free

With JDLink<sup>2</sup> connectivity, machine and agronomic data automatically flows to your Operations Center account, allowing you to remotely support your operators and machines.

**Location History** lets you view the path traveled by a machine over a 24-hour period for up to 60 days. Monitor location, ground speed, heading and machine state information (working or idle).

<sup>1</sup> Activation required. Consult your John Deere Dealer for more information.

<sup>2</sup> Activation/subscription required. JDLink hardware comes standard with the machine. The customer can turn on the JDLink service in their Operations Center account for free. JDLink requires a cellular connection to transfer information from machine to JDLink website. Consult your John Deere Dealer for coverage availability.





JOHN DEERE



mCrops  
me

Rotary  
Header Type

16.4 ft

1.2 h

Float Pressure

Avg

1069  
psi

Right

1078  
psi

Head Position



25%



2%

Load

0%



nation

2



1

Roll  
Gap

4.0

Swath  
Flap

1.0

Forming  
Shields

5.0

Header Set Speed

n/min  
2300





# KEEPING YOU CONNECTED TO WHAT COUNTS

When you're running, you don't want anything to slow you down. Your machine comes with a JDLink™ modem.<sup>1</sup> Once activated through the John Deere Operations Center™, your John Deere dealer can offer John Deere Connected Support™ services. With your permission, your dealer can “dial in” to your machine's diagnostic data and assess trouble codes to help you avoid downtime. Key components include:



## SERVICE ADVISOR™ REMOTE

Once activated through the John Deere Operations Center, this allows your John Deere dealer to remotely analyse Diagnostic Trouble Codes in near real time so technicians arrive on-site with the right parts and the right tools to quickly repair your windrower.

## EXPERT ALERTS

Allows your dealer to use Service ADVISOR™ Remote from anywhere to quickly assist you with in-cab display setup and adjustments for optimal performance - eliminating the need for an onsite service call.

## REMOTE DISPLAY ACCESS

Lets your dealer remotely and quickly assist you with in-cab display setup and adjustments for optimal performance—eliminating the need for an onsite service call.



Learn more at [JohnDeere.com.au/ConnectedSupport](https://JohnDeere.com.au/ConnectedSupport) or [JohnDeere.co.nz/ConnectedSupport](https://JohnDeere.co.nz/ConnectedSupport)

<sup>1</sup> Activation/subscription required. JDLink hardware comes standard with the machine. The customer can turn on the JDLink service in their Operations Center account for free. JDLink requires a cellular connection to transfer information from machine to JDLink website. Consult your John Deere Dealer for coverage availability.





## **POWERGARD PROTECTION PLAN™**

Protect your investment. The John Deere PowerGard Protection Plan<sup>2</sup> lets you purchase extended comprehensive coverage or powertrain warranty coverage for up to an additional three years or 3,000 hours over the normal warranty period. You get flexible coverage, low deductibles and peace of mind.

<sup>2</sup> PowerGard Protection Plan extended warranty covers failures due to defective materials or original workmanship of covered components. Customers have a choice between either the Limited (engine & powertrain) coverage form or the Comprehensive (full-machine) coverage form. Contact your John Deere Dealer or see [Deere.com.au/en/parts-and-service/warranty-and-protection-plans/protection-plans/](http://Deere.com.au/en/parts-and-service/warranty-and-protection-plans/protection-plans/) or [Deere.co.nz/en/parts-and-service/warranty-and-protection-plans/protection-plans/](http://Deere.co.nz/en/parts-and-service/warranty-and-protection-plans/protection-plans/) for further information and details.







# ***FIND WHAT YOU NEED AT THE ONE PARTS COUNTER***

Your John Deere dealer makes sure to put the right people behind the parts counter. People who know the ins and outs of your new windrower and have a clear understanding of your unique needs. Knowledgeable and trained, they can guide you to the right part, attachment or service (if needed) to fit your budget. Stop by the one parts counter today.


\* 12 month/unlimited hour warranty on new OEM agricultural parts installed by an authorised John Deere Dealer. 6 month/unlimited hour warranty for all new John Deere agricultural and turf equipment parts. See John Deere Service Parts Warranty and participating dealers for more details.

\*\* Financing on approved John Deere Financial credit only. Contact your authorised John Deere Dealer for complete details.

## **THE JOHN DEERE DIFFERENCE**

- Right Part for Any Budget
- Highly Trained Expert Technicians
- 12 Months Parts & Labour Warranty\*
- Short & Long Term Financing Options\*\*





### **Rotary Platform**

Replace worn knives, discs, shear hubs and other wear parts with Genuine John Deere parts for superior cutting and greater wear-resistance. More cost-efficient A&I alternative parts may also be available.



### **Foot Rests**

Put your feet up during those long days in the field for improved comfort with this simple upgrade.




### **Auxiliary Lighting Kits**

See more of the work at hand whilst increasing your machines hours of productivity.



### **Maintenance**

From belts and compressors to oil and filters go with Genuine John Deere parts and products to regularly maintain your new windrower.



### **Service**

You can count on the best-trained technicians in the industry to keep you up and running. They'll be ready whenever you need them.



# ENGINES

## SERVICEABILITY

The W200 Series features gull wing side panels and lift up tail section. These provide easy access to the engine and other service points. Panels are made from a durable soy-based composite. Plus, CAN bus integration makes troubleshooting easier than ever. Technicians can easily access a service point from inside the cab to diagnose machine problems.

All routine service check points can be checked from one side of the machine, including:

- Engine oil level
- Engine air filter
- Fuel-water separator drain
- Coolant level
- Hydraulic oil level sight glass on reservoir



## SPECIFICATIONS

Models	W200M	W235M	W235R	W260R
<b>Engine</b>				
Type	John Deere 6068HE053 6.8L Final Tier 4 PVS	John Deere 6068HE053 6.8L Final Tier 4 PVS	John Deere 6068HE056 6.8L Final Tier 4 PSS	John Deere 6068HE056 6.8L Final Tier 4 PSS
Rated Engine Power @ 2,400 rpm, kW (hp)	149 (200)	175 (235)	175 (235)	201 (270)
Displacement, L (cu. in.)	6.8 (414)	6.8 (414)	6.8 (414)	6.8 (414)
<b>Electrical System</b>				
Type	12 volt	12 volt	12 volt	12 volt
Alternator output, amps	240	240	240	240
Number of batteries	1	1	1	1
<b>Capacities</b>				
Fuel Capacity, L	586	586	586	586
DEF Capacity, L	24	24	24	24
Hydraulic reservoir, L	92.75	92.75	92.75	92.75
Cooling system, L	56.78	56.78	56.78	56.78
<b>Tyres</b>				
Drive wheels (standard)	620/75R26 bar	620/75R26 bar	520/85R38 R1 Radial Bar	520/85R38 R1 Radial Bar
Drive wheels (optional)	480/R80R34 Hybrid Tyre 23.1R26 R3 Radial Button Tyre	480/R80R34 Hybrid Tyre 23.1R26 R3 Radial Button Tyre	650/75R32 172RIW Radial Bar, 24.5R3 Button Tyre	650/75R32 172RIW Radial Bar, 24.5R3 Button Tyre
Caster wheels (standard)	14L x 16.1 8-ply rib	14L x 16.1 8-ply rib	14L x 16.1 8-ply rib	14L x 16.1 8-ply rib
Caster wheels (optional)	16.5L x 16.1 8-ply rib	16.5L x 16.1 8-ply rib	16.5L x 16.1 8-ply rib	16.5L x 16.1 8-ply rib
<b>Maximum speeds</b>				
Transport	38.3 km/h (24 mph) *	38.3 km/h (24 mph) *	38.3 km/h (24 mph)	38.3 km/h (24 mph)
Field	25.7 km/h (16 mph) *	25.7 km/h (16 mph) *	25.7 km/h (16 mph)	25.7 km/h (16 mph)

\* M Spec windrower require optional upgraded drive motors to achieve shown maximum speeds.



# ALL-ROUND SUPPORT

From advice and sales to maintenance and repairs, your local John Deere partner has everything you need to keep your investment running like clockwork. Find your nearest John Deere dealer today at [dealerlocator.deere.com](http://dealerlocator.deere.com)

## A global community

The people at your local John Deere dealership are always there for you—with personal service you can rely on. As part of the John Deere community, they combine their own individual style with all the benefits of a strong global company.

## Spares and repairs

Even a John Deere needs repairs eventually. When the day comes, our dealers pull out all the stops to keep downtime to a minimum. With a state-of-the-art workshop and a fully trained technical team on hand, they can provide professional support being equipped with the latest updates directly from the factories. For smaller repairs you'd rather do yourself, they can supply everything you need—even for older models.

## Tailor-made financing

John Deere Financial has been helping customers grow their businesses for more than 150 years. Based on our unique understanding of your market and the challenges you face, we offer competitive, tailor-made financing for the machines you need to raise your game.

Your local John Deere dealer can help you choose the options that suit your business best. Why not drop in for a chat?









**JOHN DEERE**



The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the manufacturer's web site for additional information. Features, specs and attachments subject to change without notice. Before operating or riding, always refer to the safety and operating information on the vehicle, and in the Operator's Manual. Actual vehicle top speed may vary based on belt wear, tire selection, vehicle weight, fuel condition, terrain and other environmental factors. Travel responsibly on designated roads, trails or areas, respect the rights of others, and avoid sensitive areas such as meadows, lake shores, wetlands and streams. This literature has been compiled for worldwide circulation. While general information, pictures and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options and accessories NOT AVAILABLE in all regions. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specification, design and price of the products described in this literature without notice. John Deere's green and yellow color scheme, the leaping deer symbol, and John Deere are trademarks of Deere & Company.

[JohnDeere.com.au](http://JohnDeere.com.au)  
[JohnDeere.co.nz](http://JohnDeere.co.nz)

DSAA735141AU (08/23)